

**ANALYSIS OF VISIBILITY  
AND PARTICULATE DATA  
WITHIN THE VISTAS REGION**

**Prepared for**

**Visibility Improvement –  
State and Tribal Association of the Southeast**  
The Interchange Building  
59 Woodfin Place  
Asheville, North Carolina 28801

**Prepared by**

**Air Resource Specialists, Inc.**  
1901 Sharp Point Drive, Suite E  
Fort Collins, Colorado 80525  
Telephone: 970-484-7941  
Fax: 970-484-3423  
Email: [jadlhoch@air-resource.com](mailto:jadlhoch@air-resource.com)  
Web Site: [www.air-resource.com](http://www.air-resource.com)

**May 2003**

## TABLE OF CONTENTS

<b><u>Section</u></b>	<b><u>Page</u></b>
EXECUTIVE SUMMARY	ES-1
1.0 INTRODUCTION	1-1
1.1 Overview	1-1
1.2 Project Objectives	1-1
2.0 DATA SOURCES AND METHODS	2-1
2.1 EPA AIRS PM <sub>2.5</sub> FRM Network	2-1
2.2 IMPROVE and SEARCH Networks	2-4
2.2.1 IMPROVE Monitoring	2-4
2.2.2 SEARCH Monitoring	2-8
2.2.3 Alternate 1 Method – Using Daily f(RH)	2-10
2.2.4 Alternate 2 Method – Using Ammonium and Daily f(RH)	2-10
2.2.5 Data Completeness	2-14
2.2.6 Categorization of High, Medium, and Low Extinction Days	2-15
2.2.7 Visibility Metrics	2-15
2.3 EPA Speciation Trends Network Data	2-17
2.4 IMPROVE Ambient Nephelometer Data	2-18
2.5 Meteorological Back Trajectory Analysis	2-19
2.6 Soil and Carbon Analysis	2-20
2.7 Data Collected in Neighboring States	2-20
3.0 AEROSOL MASS AND EXTINCTION DATA RESULTS	3-1
3.1 EPA AIRS PM <sub>2.5</sub> Data Analysis	3-1
3.1.1 Average PM <sub>2.5</sub> Total Mass	3-1
3.1.2 98 <sup>th</sup> Percentile PM <sub>2.5</sub> Total Mass	3-5
3.2 Extinction by Species	3-9
3.3 Fine Mass by Species	3-19
3.4 Distribution of Days by Extinction Category	3-29
3.5 Correlations of Extinction and Mass Species at and Between Sites	3-31
3.5.1 Extinction/Mass Correlations	3-31
3.5.2 Site-to-Site Correlations	3-35

## TABLE OF CONTENTS (Continued)

<b><u>Section</u></b>	<b><u>Page</u></b>
3.6 Alternate Analyses of Extinction	3-41
3.6.1 Comparison Between IMRPOVE and Alternate 1 Extinction	3-41
3.6.2 Comparison Between Alternate 1 and Alternate 2 Extinction	3-41
3.7 Analysis of EPA Speciation Trends Network Data	3-44
3.8 Comparison of Calculated and Measured Light Scattering	3-50
4.0 ANALYSIS OF SELECTED FACTORS IN HIGH AND LOW EXTINCTION	4-1
4.1 Meteorological Back Trajectory Analysis	4-1
4.1.1 HYSPLIT Sensitivities	4-1
4.1.2 Back Trajectories for High and Low Extinction Days	4-9
4.1.3 Back Trajectories for High and Low Sulfate and Organic Carbon Mass Days	4-21
4.1.4 Back Trajectories for Multi-site High Extinction Days	4-24
4.2 Saharan Dust Analysis	4-25
4.3 Carbon Analysis	4-30
5.0 VISIBILITY IN NEARBY CLASS I AREAS	5-1
APPENDIX A Annual and Combined Quarterly PM <sub>2.5</sub> Maps by Sampling Frequency	A-1
APPENDIX B Timelines of IMPROVE and SEARCH Extinction by Species	B-1
APPENDIX C Annual and Combined Quarter Extinction Budgets, IMPROVE And SEARCH Networks	C-1
APPENDIX D Annual and Combined Quarter Fine Mass Budgets, IMPROVE And SEARCH Networks	D-1
APPENDIX E Listing of Data and Extinction for 20% Lowest, 20% Highest, and 5% Highest Extinction Days, IMPROVE and SEARCH Networks, 1998 – 2001	E-1
APPENDIX F Scatter Plots of Species Mass vs. Extinction, IMPROVE and SEARCH Networks	F-1
APPENDIX G Site-to-Site Correlations	G-1

## TABLE OF CONTENTS (Continued)

<b><u>Section</u></b>		<b><u>Page</u></b>
APPENDIX H	Annual Extinction Budgets Calculated with Alternate Methods	H-1
APPENDIX I	Summary Maps and Tables of EPA STN Fine Mass Species	I-1
APPENDIX J	72-hr Meteorological Back Trajectories for 20% Highest and 20% Lowest Extinction Days	J-1
APPENDIX K	48-hr Meteorological Back Trajectories for 20% Highest and 20% Lowest Extinction Days	K-1
APPENDIX L	72-hr Meteorological Back Trajectories for 20% Highest and 20% Lowest Sulfate Mass Days	L-1
APPENDIX M	72-hr Meteorological Back Trajectories for 20% Highest and 20% Lowest Organic Mass Days	M-1
APPENDIX N	Back Trajectories for Selected Events of High Extinction	N-1
APPENDIX O	Saharan Dust Data Products	O-1
APPENDIX P	72-hr Meteorological Back Trajectories Representing VISTAS Influence on Neighboring States	P-1
APPENDIX Q	72-hr Meteorological Forward Trajectories Representing VISTAS Influence on Neighboring States	Q-1

## LIST OF FIGURES

<b><u>Figure</u></b>		<b><u>Page</u></b>
2-1	Monitoring Locations by Sampling Frequency, EPA AIRS and SEARCH PM <sub>2.5</sub> Sites.	2-2
2-2	Monitoring Locations by Instrument Type, EPA AIRS and SERACH PM <sub>2.5</sub> Sites.	2-2
2-3	Map of IMPROVE and SEARCH Network sites in VISTAS region.	2-4
2-4	Growth Curve Used by EPA to Determine Monthly f(RH).	2-7
2-5	Comparison of f(RH) Growth Curves for 3 sulfate species.	2-10

## LIST OF FIGURES (Continued)

<b><u>Figure</u></b>	<b><u>Page</u></b>
2-6 Timelines of Ammonium to Sulfate Molar Ratios.	2-12
2-7 SEARCH Method for Coarse Mass Substitution (January 2003).	2-14
2-8 Map of EPA Speciation Trends Network sites in VISTAS region as of September 2002.	2-17
2-9 Species Mass comparisons between 3 sets of collocated SEARCH and EPA STN sites.	2-19
2-10 Species Mass comparisons between 4 sets of collocated IMPROVE and EPA STN sites.	2-20
3-1 Annual Average PM <sub>2.5</sub> in the VISTAS Region Based on Data from EPA AIRS and SEARCH, 1999 – 2001.	3-3
3-2 Combined Quarterly Average PM <sub>2.5</sub> in the VISTAS Region Based on Data from EPA AIRS and SEARCH, 199 – 2001.	3-4
3-3 Annual 98 <sup>th</sup> Percentile PM <sub>2.5</sub> in the VISTAS Region Based on Data from EPA AIRS and SEARCH, 1999 – 2001.	3-6
3-4 Combined Quarter 98 <sup>th</sup> Percentile PM <sub>2.5</sub> in the VISTAS Region Based on Data from EPA AIRS and SEARCH, 1999–2001.	3-7
3-5 Average Extinction of 5% Highest Extinction Days at IMPROVE and SEARCH Sites.	3-11
3-6 Average Extinction of 20% Highest Extinction Days at IMPROVE and SEARCH Sites.	3-12
3-7 Average Extinction of 60% Middle Extinction Days at IMPROVE and SEARCH Sites.	3-13
3-8 Average Extinction of 20% Lowest Extinction Days at IMPROVE and SEARCH Sites.	3-14
3-9 Average Fine Mass of 5% Highest Extinction Days at IMPROVE and SEARCH Sites.	3-20
3-10 Average Fine Mass of 20% Highest Extinction Days at IMPROVE and SEARCH Sites.	3-21

## LIST OF FIGURES (Continued)

<b><u>Figure</u></b>	<b><u>Page</u></b>
3-11 Average Fine Mass of 60% Middle Extinction Days at IMPROVE and SEARCH Sites.	3-22
3-12 Average Fine Mass of 20% Lowest Extinction Days at IMPROVE and SEARCH Sites.	3-23
3-13 Distribution of Highest and Lowest Extinction Days, IMPROVE and SEARCH Networks.	3-30
3-14 Scatter plots of Daily Species Mass vs. Daily Extinction for all IMPROVE sites.	3-33
3-15 Extinction and Species Mass Correlations Between All Sites and Selected Sites (MACA, SHEN, SIPS, GRSM, JST, ROMA, OAK, CHAS).	3-36
3-16 Ammonium Sulfate Mass Correlations by Quarter Between All Sites and Selected Sites (CTR, GRSM, CHAS).	3-39
3-17 Organic Mass Correlations by Quarter Between All Sites and Selected Sites (CTR, GRSM, CHAS).	3-40
3-18 Comparison of Daily Extinction Calculated Using the IMPROVE and Alternate 1 Methods for 3 Sites.	3-43
3-19 Comparison of Daily Extinction Calculated Using the Alternate 1 and Alternate 2 Methods for 3 Sites.	3-43
3-20 Reconstructed Fine Mass Based on the 20% Highest and 20% Lowest Extinction, EPA Speciation Trends Network, Quarter 4 through Quarter 3, 2002.	3-45
3-21 Reconstructed Fine Mass Based on the 20% Highest Extinction, EPA Speciation Trends Network, Quarter 4, 2001 through Quarter 3, 2002.	3-47
3-22 Species Mass Comparisons Between 3 Sets of Collocated SEARCH and EPA STN Sites.	3-48
3-23 Species Mass Comparisons Between 3 Sets of Collocated IMPROVE and EPA STN Sites.	3-49
3-24 Comparison of Daily Aerosol vs. Nephelometer Particle Scattering by All Data, Individual Years, and Combine Quarters, Great Smoky Mountains NP.	3-51

## LIST OF FIGURES (Continued)

<b><u>Figure</u></b>	<b><u>Page</u></b>
3-25 Comparison of Daily Aerosol vs. Nephelometer Particle Scattering by All Data, Individual Years, and Combined Quarters, Mammoth Cave NP.	3-52
3-26 Comparison of Daily Aerosol vs. Nephelometer Particle Scattering by All Data, Individual Years, and Combined Quarters, Shenandoah NP.	3-53
4-1 Agreement of Vertical Motion Assumptions on Back Trajectories for 5 Selected 20% Highest Extinction Days at MACA.	4-3
4-2 Agreement of Vertical Motion Assumptions on Back Trajectories for 5 Selected 20% Lowest Extinction Days at MACA.	4-4
4-3 Agreement of End Height Assumptions on Back Trajectories for 5 Selected 20% Highest Extinction Days at MACA.	4-5
4-4 Agreement of End Height Assumptions on Back Trajectories for 5 Selected 20% Lowest Extinction Days at MACA.	4-6
4-5 Agreement of End Time Assumptions on Back Trajectories for 5 Selected 20% Highest Extinction Days at MACA.	4-7
4-6 Agreement of End Time Assumptions on Back Trajectories for 5 Selected 20% Lowest Extinction Days at MACA.	4-8
4-7 Back Trajectories for the 20% Highest and Lowest Extinction Days at SHEN for 2001.	4-11
4-8 Back Trajectories for the 20% Highest and Lowest Extinction Days at MACA for 2001.	4-12
4-9 Back Trajectories for the 20% Highest and Lowest Extinction Days at GRSM for 2001.	4-13
4-10 Back Trajectories for the 20% Highest and Lowest Extinction Days at ROMA for 2001.	4-14
4-11 Definition of Zones for Back Trajectory Analysis.	4-15
4-12 Four Year Back Trajectory Conditional Probability Maps for the Highest and Lowest 20% Extinction at SHEN.	4-17

## LIST OF FIGURES (Continued)

<b><u>Figure</u></b>	<b><u>Page</u></b>
4-13 Four Year Back Trajectory Conditional Probability Maps for the Highest and Lowest 20% Extinction at MACA.	4-18
4-14 Four Year Back Trajectory Conditional Probability Maps for the Highest and Lowest 20% Extinction at GRSM.	4-19
4-15 Four Year Back Trajectory Conditional Probability Maps for the Highest and Lowest 20% Extinction at ROMA.	4-20
4-16 Back Trajectories for the 20% Highest Sulfate and 20% Highest Organic Mass Days at GRSM for 2000.	4-22
4-17 Back Trajectories for the 20% Highest Sulfate and 20% Highest Organic Mass Days at ROMA for 2000.	4-23
4-18 Sample 10-day Back Trajectories for Sites Meeting the Saharan Dust Criteria.	4-29
4-19 Comparison of OC/EC Ratios at all IMPROVE and SEARCH sites.	4-32
4-20 NOAA Satellite Images Showing Smoke Plume form Central American Fires.	4-33
4-21 IMPROVE OC/EC Ratios and Non-soil Potassium Timelines during Spring 1998.	4-34
5-1 Extinction Comparisons for Selected Sites Within and Surrounding VISTAS (All Data).	5-2
5-2 Extinction Comparisons for Selected Sites Within and Surrounding VISTAS (Quarter 1).	5-3
5-3 Extinction Comparisons for Selected Sites Within and Surrounding VISTAS (Quarter 2).	5-4
5-4 Extinction Comparisons for Selected Sites Within and Surrounding VISTAS (Quarter 3).	5-5
5-5 Extinction Comparisons for Selected Sites Within and Surrounding VISTAS (Quarter 4).	5-6
5-6 Back Trajectories for Nearby IMPROVE Sites, Based on the 20% Highest Extinction Days in 2001.	5-7
5-7 Forward Trajectories for 3 VISTAS IMPROVE Sites, Based on the 20% Highest Extinction Days in 2001.	5-8

## LIST OF TABLES

<b><u>Table</u></b>	<b><u>Page</u></b>
2-1 EPA Linear Regression Statistics for Various PM <sub>2.5</sub> Sampler Pairs	2-3
2-2 Site Specifications, IMPROVE and SEARCH Networks	2-5
2-3 Aerosol Elements and Species Used to Estimate Light Extinction from IMPROVE Data (IMPROVE Protocol)	2-6
2-4 Aerosol Elements and Species Used to Estimate Light Extinction from SEARCH Data (Approximates IMPROVE Protocol)	2-9
2-5 Site Quarters and Years Eligible for Analysis Based on Data Completeness Requirements Outlined in the Text	2-16
2-6 Site Specifications IMPROVE Sites Bordering VISTAS	2-21
3-1 Distribution of Sites Based on Annual Average PM <sub>2.5</sub> Mass	3-2
3-2 Distribution of Sites Based on Combined Quarterly Average PM <sub>2.5</sub> Mass	3-2
3-3 Distribution of Sites Based on Annual 98 <sup>th</sup> Percentile PM <sub>2.5</sub> Mass	3-8
3-4 Distribution of Sites Based on Combined Quarterly 98 <sup>th</sup> Percentile PM <sub>2.5</sub> Mass	3-8
3-5 Listing of Multi-year Average Extinction Data Presented in Figures 3-5 - 3-8	3-15
3-6 Range of Species Contributions to Extinction Based on Multi-year Averages, IMPROVE and SEARCH Networks	3-17
3-7 Listing of Multi-year Average Fine Mass Data Presented in Figures 3-9 - 3-12	3-24
3-8 Range of Species Contributions to Gravimetric Fine Mass Based on Multi-year Averages, IMPROVE and SEARCH Networks	3-26
3-9 Comparisons of R <sup>2</sup> Values, Mass Species vs. Extinction, IMPROVE and SEARCH Data, 1998 – 2001	3-34
3-10 Listing of Annual Period Species Mass Presented In Figure 3-20	3-46
4-1 Summary of 72-hr Back Trajectory Patterns 20% Highest and Lowest Extinction Days Selected IMPROVE Sites, 1998 – 2001	4-16

## LIST OF TABLES (Continued)

<b><u>Table</u></b>		<b><u>Page</u></b>
4-2	Summary of Maximum Tracer Ratios for Soil $>3.0 \mu\text{g}/\text{m}^3$ , IMPROVE and SEARCH Data, 1998 – 2001	4-27
4-3	List of All Days Meeting the Perry <i>et al.</i> Saharan Dust Criteria, IMPROVE data, 1998 – 2001	4-28